



Funeral Coaches

EUREKA KINGSFORD

When the name is Eureka, you can be confident that the coach that leads your service will be a leader indeed – performing elegantly and flawlessly, protecting dignity and commanding respect. When the nameplate says “Eureka”, you can be confident that your coach will reflect well upon you and your profession.



Dimensions

Overall length	253.4"
Overall height	72.0"
Overall width	78.2"
Overall extension	36.0"
Wheelbase	153.7"
Casket floor length	116.0"
Loading door height	38.0"
Loading door width	46.0"
Loading door angle	121.0°
Loading height	25.0"
Width between wheel houses	41.0"

Your confidence begins with the classic beauty of Eureka styling. The look is contemporary yet rooted in tradition with smooth-flowing, understated lines. Your confidence is reinforced by knowing that the beauty on the outside is more than equaled by real quality on the inside. The coach compartment is spacious

and elegantly appointed. There are thoughtful convenience features that help make your service flow more smoothly and professionally. And underneath it all is the strength and durability of steel. The entire inner structure of the Eureka coach is built with custom-fabricated, heavy-gauge, electrogalvanized steel.



Standard Features

EUREKA KINGSFORD



Standard Kingsford Features

- heavy-duty Lincoln chassis
- exterior paint (choice of OEM)
- pinstripe (choice)
- vinyl top (full)
- motif area (coach lights)
- Lincoln leather interior
- headliner (cloth)
- drapery (one-piece cloth, velcroed)
- interior sidewall (vinyl)
- rear compartment flooring (laminated)
- rear partition glass (2-piece)
- name plate brackets on side doors
- church truck (open)
- carpeted bumper protector
- rear rollers (10)
- bier pins: (dual stationary in front, one quick-adjust in rear)
- wide-opening load door
- left-hand load-door hinge
- full-size spare tire



Dual, stationary front bier pins and an open church truck compartment.



Leather interior in driver's compartment on the base Lincoln chassis is accented by matching cloth and trim in the rear compartment.



Stylized wheelhouse panels, with brushed aluminum accent moldings, are shaped to yield more floor space to carry additional flowers.



The Eureka name plate and coach light come standard on Eureka funeral coaches.

OPTIONAL Eureka Kingsford Features



◀ Shown with optional stainless roof band and 1/2-painted roof.

Kingsford Options

- oval rear windows
- flag staff holder
- manual extend table
- electric extend table
- air suspension switch
- right-hand load-door hinge
- stainless steel roof band
- stainless steel applique area
- closed church truck well
- one-piece partition glass
- door edge guards – black
- name plate brackets on rear load door
- name plates (each)
- turn signal strobe lights – clear, amber or purple
- strobe headlights – clear, amber or purple
- dual front strobes
- beacon ray roof
- wiring only for customer's beacon
- wig-wag flashing headlights
- Sonic Sentinal back-up sensor
- personalized load door embroidery
- painted roof (1/2)
- wheelwell moldings
- lower chrome moldings
- gold tone package
- rodded drapery (in lieu of velcro)
- rear compartment carpeting
- custom paint
- custom-dyed roof vinyl
- engine block heater
- dual battery
- full-vehicle protective undercoating



Optional lower chrome molding.



Optional closed church truck well with compartment door.



Optional rear compartment carpeting on an optional electric extend table.



Optional beacon ray roof. Wiring for a customer-provided light can also be installed.



Optional signature chrome band.



Optional flag staff holder.

Due to continuous improvement, Accubuilt reserves the right to change standards and specifications without notice or price adjustment.



Specifications

EUREKA KINGSFORD



◀ Shown with optional oval rear window.

Structural Specifications

- a 32-inch wheelbase extension assembled on the Accubuilt Master Framer for precision fit of inner-structure
- integrated steel and composite body system eliminates seams and corrosion and provides maximum strength
- die-stamped, "one-piece" galvanized steel doors
- all-steel partition reinforcement bar
- additional body/chassis reinforcements at all stress points
- heavy-gauge steel floor construction
- six die-stamped, heavy-duty roof bows, including headers
- insulation-filled body and roof cavities
- aluminum frame partition with tempered glass and clear sides, tinted to reduce glare and increase driver's visibility
- electro-galvanized steel below the belt line and in all exposed metal surfaces increase rust protection

Dimensions

Overall length	253.4"
Overall height	72.0"
Overall width	78.2"
Overall extension	36.0"
Wheelbase	153.7"
Casket floor length (usable space)	116.0"
Loading door height	38.0"
Loading door width	46.0"
Loading door angle	121.0°
Loading height	25.0"
Width between wheelhouses	41.0"



Crash test-proven, all-steel inner body structure.

Accubuilt's unique, QUICK-ADJUST BIER PIN eliminates time-consuming twisting



Depressing the top button releases the tightening knob and shaft to fully open the Bier Pin.



Place the Bier Pin in one of the hexagonally-shaped holes.



Depress the top button and push the knob until the Bier plate is close to the casket or Commemorative Carriage.



Tighten the quick-adjust knob to secure the casket or Commemorative Carriage in place.



Bier Pin in position.



To release, simply push the top button as before, and pull the knob to open the pin.



Bier Pin fully open.



Grasp and pull the Bier Pin straight up from its seated position and...



...it can be conveniently stored on the top of the wheelhouse panel.

