Funeral Coaches



Strong, quiet, elegant in form and function. The moving embodiment of dignity, reverence and respect. Eureka coaches and limousines are designed and built with the latest technologies and engineering enhancements. Yet they still reflect those traditional values that have made us a leader in the funeral service industry for over five generations.

EUREKA ONYX



Dimensions

Overall length 245.2" Overall height 70.3" Overall width. 77.0" **Overall** extension... 38.0" Wheelbase... 147.3" Casket floor length 116.0" Loading door height 34.3" Loading door width..... 43.5" Loading door angle...... 135.0° Loading height 31.5" Width between wheel houses..... 41.0"

What do we mean by traditional values? Taking pride in being designers and craftsmen instead of just being fasteners and assemblers. Being totally committed to delivering honest value in the products we make. There is nothing cosmetic or pretentious about Eureka. You get unsurpassed durability with an inner structure of

electro-galvanized, heavy-gauge steel. You get double-sided steel doors stamped on our own custom dies. You get superb quality of fit and finish assured by expert craftsmen who take pride in their work. You also get prestige with the classic beauty of Eureka styling. The look is timelessly elegant, unmistakably professional.







Standard Features



Single, stationary front bier pins and an open church truck compartment.

EUREKA ONYX

Standard Onyx Features

- heavy-duty Cadillac chassis
- exterior paint (choice of OEM)
- pinstripe (choice)
- vinyl top (full)
- motif area (coach lights)
- Cadillac leather interior
- headliner (cloth)
- drapery (one-piece cloth, velcroed)
- interior sidewall (vinyl)
- rear compartment flooring (laminate)
- rear partition glass (2-piece)
- name plate brackets on side doors
- church truck (open)
- carpeted bumper protector
- rear rollers (10)
- bier pins: (one stationary in front, one quick-adjust in rear)
- wide-opening load door
- left-hand load-door hinge
- full-size spare tire



Leather interior in driver's compartment on the base Cadillac chassis is accented by matching material and trim in the rear compartment.



Stylized wheelhouse panels, with brushed aluminum accent moldings, are shaped to yield more floor space to carry additional flowers.



The Eureka name plate and coach light come standard on Eureka funeral coaches.

OPTIONAL Eureka Onyx Features





Optional lower chrome molding.



Optional closed church truck well with compartment door.



Optional rear compartment carpeting on an optional electric extend table.



Optional beacon ray roof. Wiring for a customer-provided light can also be installed.



Optional signature chrome band.



Optional flag staff holder.

Onyx Options

- limousine-style rear windows
- oval rear windows
- hidden side-door umbrella storage slot
 left and/or right
- flag staff holder
- manual extend table
- electric extend table
- chrome wheels
- right-hand load-door hinge
- stainless steel roof band
- stainless steel applique area
- closed church truck well
- one-piece partition glass
- door edge guards black
- name plate brackets on rear load door
- name plates (each)
- cornering strobe lights clear, amber or purple
- dual front strobes
- beacon ray roof
- wiring only for customer's beacon
- wig-wag flashing headlights
- Sonic Sentinal back-up sensor
- back-door wreath
- personalized load door embroidery
- painted roof (1/2)
- wheelwell moldings
- lower chrome moldings
- gold tone package
- rodded drapery (in lieu of velcro)
- rear compartment carpeting
- custom paint
- custom-dyed roof vinyl
- engine block heater
- dual battery
- full-vehicle protective undercoating







Specifications

► Shown with optional oval rear window and lower chrome molding.

Structural Specifications

- a 32-inch wheelbase extension assembled on the Accubuilt Master Framer for precision fit of inner-structure
- integrated steel and composite body system eliminates seams and corrosion and provides maximum strength
- die-stamped, "one-piece" galvanized steel doors
- all-steel partition reinforcement bar
- additional body/chassis reinforcements at all stress points
- heavy-gauge steel floor construction
- six die-stamped, heavy-duty roof bows, including headers
- insulation-filled body and roof cavities
- aluminum frame partition with tempered glass and clear sides, tinted to reduce glare and increase driver's visibility
- electro-galvanized steel below the belt line and in all exposed metal surfaces increase rust protection

EUREKA ONYX

Dimensions

Overall length	245.2'
Overall height	70.3
Overall width	77.0'
Overall extension	38.0'
Wheelbase	147.3
Casket floor length (usable space)	116.0'
Loading door height	34.3'
Loading door width	43.5'
Loading door angle	135.0
Loading height	31.5'
Width between wheelhouses	41.0'



Accubuilt's unique, QUICK-ADJUST BIER PIN eliminates time-consuming twisting



Depressing the top button releases the tightening knob and shaft to fully open the Bier Pin.



Place the Bier Pin in one of the hexagonally-shaped holes.



Depress the top button and push the knob until the bier . plate is close to the casket or Commemorative Carriage.



Tighten the quick-adjust knob to secure the casket or Commemorative Carriage in place.



Bier Pin in position.



To release, simply push the top Bier Pin fully open. button as before, and pull the knob to open the pin.





Grasp and pull the Bier Pin straight up from its seated position and...



...it can be conveniently stored on the top of the wheelhouse panel.

